




MISSOURI BO PETER H.

GEOR
BOTAN



*Since
page
online
nu*

Cassata chilensis Ker Chois, Chansso i Hb. Brel (6)
Chili Poepp. i Hb. Brel, Hb. Martin (13)
" Philipp. " " (14)
" lesson. Hb. Brel (112) var. tuberosa

C. grandiflora H.B.K. Herb. Humb. New Granad. (2)
(3) Herb. Paris, Goudet, near Santa Fe de Bogota

C. Popayanensis H.B.K. Herb. Humb. New Granad. (4)
Camas Bischel i Hb. Paris (5) ?
? C. patens ^{Benth.} Hb. Hook. Bay of Magdalena Calif (53. a & b)
Hartweg 1237 = Herb. ^{Bentley} Linder, Mexico (5. tte Paris (4) 238

C. corymbosa R. & P. non Chois C. primuloides Rev. sp. Chois
Pan Herb. Amig (7)
Pan Hb. Paris ? (10)

C. florula H.B.K. Herb. Humbold (8)
Columbia Hartweg 1238 (43)

C. intermedia Chois = C. odontis Herb. Amig i Hb. Brel, ~~bon~~
& Flora Penn & fig. - Pan Amig (9)
Penn, A. M. 486 i Hb. Hook (40)

C. obtusiflora H.B.K. Pan Hb. Humb. (11)

C. micromeris Chois ? Poepp. i Hb. Brel (12) ^{anatolica}
von Besser " " (15) ^{midia}
Philipp. " " (87)



0
cm

1

2

3

4

5

6

7

8

9

10


copyright reserved



MISSOURI
BOTANICAL
GARDEN

5077

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



0
cm

1

2

3

4

5

6

7

8

9

10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

out Wright • 1622-1639 (I have not
1631 & 1632)

1623 *C. breviflora* = 541

1626 *C. tenuiflora*

1625 *C. breviflora* = 685 (only the white species, not the brown as each)

1627 *C. umbellata* capsule with commissura, lobes alveolatae, tube & style septate is *tenuiflora*

1629 *C. tenuiflora* 3-4 petal flowers

1634 *C. nemopeltata*

1633 *C. nemopeltata* calyx ^{tubus} corolla ~~dark~~ brown, fl. ~~varius~~

1635 *C. nemopeltata* var. pubescens. only x with any warts!

1637 *C. nemopeltata* fl. minoribus style brachis, hispidae secund. 0.8"

1638 *C. nemopeltata* fl. majoribus anthers oblongi, style brachis, only x

1639 *C. hispida* to 6 corolla pale ~~acute~~ (not acute)

1636 *C. umbellata* = 1637 & 1638 see calyx larger, tub. ~~acute~~

July 7th *C. hispida* major hispidae! cal. brwi

485 Hager piper. Cogn. 16 small spts 4 petal flower! see over 0.8-0.9 yellow

Hager M. - *C. ovata* fl. 4 or only 5 petals, corolla ~~dark~~ around style
torn off the base (internode below *Gossovi* & *Knipf*)

485 Tenuifl. 1843 *C. nemopeltata*; fl. undiv., lob. cal. ~~dark~~ - style brwi.



0 1 2 3 4 5 6 7 8 9 10
cm

copyright reserved



MISSOURI
BOTANICAL
GARDEN

Wright. #2 (in part. of Gray) 1851. *Cornucosa* var. *puberosa*

R. 1849 on *Euphorbia* is *Leptantha* var. pag 83

1639 on *Euphorbia* is partly the same, *Leptantha*, & partly *C. umbellata*

T. 1849 *C. neuroptile* fl. mag., calyx bracts ¹ stylis longioribus
tubus non aequata

V. 1849 *C. hispida*

W. " = T

U. *C. verrucosa*

A. 1851 *neuroptile*

N. 1849 *C. neuroptile* ~~longistylis~~ gland-flwr, calyx bracts seen 1" long
(the flowers smaller)
~~longistylis~~

L. " "

K. " *C. glandulosa*

J. " *neuroptile*, fl. magis calyx bracts, ovulis puberulus, seen 0.8" long
cal. 6 lobes, lob ext. & apically puberul.

M. " *C. verrucosa* calyx tuberculato-verrucosa, ovario puberulo

S. *C. squamata* = p. 74 ante seniles

1628 " " = p. 78

1622 *C. neuroptile*.

1624 *C. odontolepis* var.?

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

5078

over



0 1 2 3 4 5 6 7 8 9 10

cm

copyright reserved



MISSOURI
BOTANICAL
GARDEN

C. involucrata Chois Toluca, Mexico Berlandier 1102 - H. W. H. (55)

C. linearis Martius Texcoco, Mexico Rauschki - H. Mart. & Vahl
& Jussieu (54)
San Luis, Mexico Orgog. (71)

C. involucrata var.
C. involucrata L. Paas, Mexico Orgog. 401 & 417 (62)
var. pubescens Wr. 574 (84)
Linn. Nudels,
var. macrophylla Linn. 664 (94)
al. rugulosa Hayden on Lygodesmia.

C. parviflora n.sp. Yellopogos, ~~San Luis~~ ~~Hab. Gossypium subsp.~~
~~Cochinchine.~~ (65) H. Hook (66)

C. californica Chois San Francisco Wright (73)

var. apodantha (C. subinvolucrata Gray) (90) Horn, Calif

C. californica var. brachycarpa San Francisco, Calif. Wright. (72)
brachycarpa, Gray

C. squamata n.sp. Wright. 392. 818. (74)
? .. 1628 (78)

C. transplanata n.sp. Wright. 541 (75)
685 (76)

C. sonoriensis n.sp. Wright. 529 (77)
C. odontolepis n.sp. Wright 1624 (89)



0
cm

1

2

3

4

5

6

7

8

9

10


copyright reserved



MISSOURI
BOTANICAL
GARDEN

5079

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



0

1

2

3

4

5

6

7

8

9

10

cm

copyright reserved



MISSOURI
BOTANICAL
GARDEN

C. decora L. Engelm. on the Parana, Brazil, Tweedie - Hb. Hook (32)
Mines Gerais, " Gardner 5036 " " 33)
Cuba Herb. Ordinon (49)
Mex 120 Bueno Vista Goegg. 78 (61)
" Reynosa " 888 (62)
Mandragora - Hb. Hook (63)
Cuba - Herb. Ordinon. (49)
~~Wright 484, 594, 503~~ (85)
Bolivia mat. new, 2285 (91)
var. monosepala Texas Wright (95)

C. bracteata n.sp. Gooyaz Brazil Gardner 2248 - Hb. Hook (25)

C. acutata n.sp. Peru - Hb. Hook 660 A.M. (26) new record

C. bolivioides n.sp. S. Brazil, last. 49 Hb. Hook (37)

C. brachystyle n.sp. Antuco (Chili) Reynolds 95 & Hb. Hook (42)

C. cristata n.sp. Hfago Tweedie 1191 - Hb. Hook (44)

C. glandulosa n.sp. Cuba Poppig - Hb. Hook (46)
" - 656.6. in Hb. Windo "
Bahama - Hb. Hook (47)
Texas Wright (88)

C. gomovi Juss from Drumm's seed, Hb. Hook (48)

? var. dominicensis (L.) (64)



0
cm

1

2

3

4

5

6

7

8

9

10


copyright reserved



MISSOURI
BOTANICAL
GARDEN

5080

MISSOURI BOTANICAL GARDEN
Group of Evolution Papers



0
cm

1

2

3

4

5

6

7

8

9

10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

Chili Poppy - Hb. Vrde sub nom. *C. popayanensis* (53)

Cassonta racemosa Mart. *C. Suaveolens* L.

(Bolton, Chili) No 940. & 201 - Hb. Shuttles. (15)

Germany (C. harrisia) (17)

Brasilia Martins (19)

Rio Janeiro Gaudichaud - Hb. Paris (20)

" " Gardner. 37 Hb. Hook (21)

Brazil Doog - - - " "

? var macrosepala Panama, Tweedie Hb. Hook (21)

Brazil Pohl 5100 - Hb. Vrde (52)

C. partita Chois Brasil Blanquet 2037 - Hb. Shuttles (18)

" , Piauhy, Gardner 2684 - Hb. Vrde (53)

Ceara, Friedrichs 375. b. " "

? var. *jamaicensis*, Tasmania & Baworti - Hb. Hook (55)

C. minima Mart. (var of *C. racemosa*)

Minas Gerais Brasil, Martins (21)

C. paniculata n. sp. (*C. micrantha* Mart var non Chois)

Brasilia Hb. Martins (22)

Minas Gerais Pohl 5426 in Hb. Vrde (51)

Brasilia Ackerma ~~102~~ in hb. Guerin (22)

C. Americana L. Brasilia Gardner 1775 - Hb. Hook & Shuttles. (23)

- Blanquet 736. (23)

Dubia Selymar. - Hb. Banks (57)

no? clausa Magellan, Agatz (58)

leptostylis Surinam Hb. Agatz (71)

new name

C. moluccana n. sp. Brasil, Sellow, Hobde. (115)

C. dubia n. sp. Brasil Sellow & Beck (116)



0
cm

1

2

3

4

5

6

7

8

9


10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

5081



0
cm

1

2

3

4

5

6

7

8

9

10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

C. desertorum Martius, Flora Brasiliensis (25)

C. umbellata HBK

Camargo, Mexico 880. (60)
Saltillo - 490 " (81)
371. 695 ~~Saltillo~~
810. Wright, Coahuila (82) -

var? insularis Zellogos, Anderson in H. Grisebach (65)

C. trichostylis n. sp. Pauli, Gardner in H. Hook (28)
" Brasil " N. 29 = (29)

C. xanthochortos Martius, Brasiliensis Martius (26)

C. floribunda HBK

Hart. Humboldt (27)

C. jalapae Schlecht Jalapa Schiede 152 - H. Paris & Juvarri & ~~Bentley~~
Mexico in H. Bentley (28) (28)

C. stylosa Chodat Mexico, Andes 214

(29) (near Popayan)

" Hart. Bernhardi (30)

" Hart. Juvarri in H. Griseb. (30)

" Jimapan H. Gallois N. 1412 H. Paris

" Bustamante 822 - H. Paris

C. sandwichiana Ovrii Sandwich island, Guadalupe. Mus. Paris (31)
Hart. Hook (31)

Walter - Eschscholtz in H. Leibniz (69)

? C. australis R. Br. in H. Griseb (30)



0
cm

1

2

3

4

5

6

7

8

9

10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

5082

MISSOURI BOTANICAL GARDEN



0

1

2

3

4

5

6

7

8

9

10

cm

copyright reserved



MISSOURI
BOTANICAL
GARDEN

Gendronema Den Dronke s. *Gendronema*

Monogynella Texana Lindl. Wright Pl. 25 var 472 (fig. 96)

M. Casyptoides C.B. sp. Hb. Nees. Hb. Windb. 40 Hb. Hook.
Hb. Berlin. M. & M. fig. 108

M. Capuliformis *Silesia* Hb. prop. Hook. Berlin, Mean.

var *asiatica* Hb. Ledebur. Allai (fig. x)
Hb. Hook 13. a Caucas (fig. 220)

M. Vahliana Desv. *C. astyle* E. *C. monogyn* Vahl Rand fl. prov.
& Orient.

Provence Avignon Léonard & Hb. Hook 11. e

Montpellier Hb. Hook 14 & Godron in Hb. meo

Provence Hb. Hook 13. b. Mus. Paris

Roumeli Frivaldszky in Hb. Windb. Hb. Hook 11. e

Hacenus Hb. Griseb. [mixed with europaea] Gr.

Asiatica *orientalis* Hb. Windb. Hb. Hook 14
Corynnea *Tournefortii* Hb. Hook 14
Caucasus Hb. Leonard. Nees. C. orientalis Town. Corolla. 45

Hohenacker No.

Bessarabia in Hb. Hook 11. f.

Tiflis Fischer in Hb. Windb.

Ch. Koch in Hb. Berl.

Portisches Gebirge same

Stein Fischer in Hb. Berl.

Persia *astrata* Kotulsky 913 (fig. 223)

Afghanist. Griffitt 682. & 684 Hb. Hook 18. Hb. Hook 28 fig. 217 & 219

M. Tenuissima (Lam.) Pers. Tenuiss. in Hb. Paris (226)


in *Lekmanniana* (Dunq.) in Hb. Berlin (224)

Magnesia, Balansa (221) in Hb. Griseb. Gr.

M. Afghana n. sp. Hb. Hook. 29 Griffitt 683 (fig. 218)

Kallische (Java & Inde)

Java



0
cm

1

2

3

4

5

6

7

8

9

10


copyright reserved



MISSOURI
BOTANICAL
GARDEN

5083

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



0 1 2 3 4 5 6 7 8 9 10

cm


copyright reserved



MISSOURI
BOTANICAL
GARDEN

Species of Currant. 4.

284. *Currant europaea* in many forms, & localities
285. *Grammida austriaca* etc. Toulon & Cossida H.C.
286. *Currant chrysogramma* Ledeb. Portugal H.C. & G.
287. C. China, Lacanche (Confused! probably
our *Lepidula pandora*!)
288. Vanthier, N 252, Brasilis H. Guy & Delass.
289. Peking, China, Fischer H.P.
290. Hongkong, Abbe Furet H.P.
291. *C. reflexa* Cloutte ex herb. Welsh, Gouache 129 H. Delass.
292. *Monogynella lepidipina* Donauischer Niagara ex Weiden
& Gerenday in H. Delass.
293. *Monogynella Schumann* var. *Magnifica* Belaunza
H. Guy & H. Coss. 411
294. *Currant Blotmanni* Chois! H. Binn name Delass.
295. *C. subulata* Tineo Palermo, Herb Schumann.
296. *C. Epithyma* 'Bois de Fontaine' Clos, living 2d 1857
297. *C. acutissima* Buckley, Shensi Abyssinia ex H. C.
Linnert = *C. oxyptera* Wright
298. *C. Jalapeña* Galotti, 4413. Oaxaca H. Delass.
299. *C. graciliflora* n.sp. Mexico, Sonora in herb. Delass.
300. *C. angustia* Edgeworth! H. Kaw. — (= *C. reflexa* J.)
301. *C. capillaris* Edgeworth! H. Kaw. — (= *C. europaea* J.)
302. *C. californica* Douglas 1833. California
303. C. " " Hartweg 1863 — H. Kaw.
304. *C. globulosa* Benth. Chaplova = *C. Amer. major*
305. *C. congesta* Benth. Chaplova = *C. Amer. minor*.
306. *C. tintoria* var. *Mexicana* Graham 250 — H. Benth. K.
Jalapeña Sch.



0
cm

1 2 3 4 5 6 7 8 9 10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

307. *Cuscuta umbellata* Jamison, Bronfield H. H.
 308. *C. sphaerocystis sphaerocystis* Santarini Brasil Specie
 309. *C. aenescens* col. min. Maranhao, Brasil Gardner 6068 N 857 H.H.
 310. *C. austra* Douglas N.W. America H.H.
 311. *C. odontites* Scamman 852 Ecuador H.H.
 312. *C. foetida* Scamman Ecuador H.H.
 313. *C. Californica* Calif. & Oregon H.H.
 314. *C. grossa* n.sp. Cuzco, Bolivia 11380 feet L. H.
 315. *C. stylosa* - Orizaba, Potosi' Negg H.H.
 316. *C. sidarum* Pich. - St. Jago, Oaxaca ad. more pacific. Gil
 317. *C. granilliana* n.sp. Tepic (*C. foetida* Hook Bot. Secy) H.H.
 318. *obtusa*? 542 Jamison Ecuador H.H.
 319. *granilliana* var. Coulter N. 1010' Sonora alta, Mexico H.H.
 320. *ristellata* in Euphorbiaceae gardner Hook herb, San Jago, Ecuador - same
 321. *austra* same as No 36 as N. 44
 322. Khadzav, Soiude & Storkis. 789 H. H.
 323. 1991 Hobartstown I. I. Land H. H.
 324. *C. austalis* [no.] fine Miller, Goulburn River. H. H.
 325. *C. pilosissima*?! Hobart 431. H. H.
 326. *Gramineae* *aphylla* Lourain? in Herb Banks.
 327. *Cuscuta carinata* A Br. H. Hollis, J. Banks - H. Banks
 328. *C. pseudostellaria*? Sareck isle, Mengo H. Banks
 329. *Cuscuta austrodiaet* A. D. Gibson East Coast of N. Holland
 330. *Cuscuta millettiae* (Hook & Arn.) millettiae. C. 1895 H. Amst.
 331. *C. europaea* niva. Andre, Chamerion x Oct 6 1851

5084A



0 1 2 3 4 5 6 7 8 9 10
cm


copyright reserved



MISSOURI
BOTANICAL
GARDEN

Trunkfit Dec 1857

332. *Cico. Ambra* D. S. Fisher - Hb. Kew.
333 *C. elegans* Noe - Hb. N. 518 Hb. Duckinger - *Brachystola*
334 *C. planiflora* Ten H. ipse misit ad Martineum 1833
= 168 which by a mistake was
named *parviflora*
335 *C. praeputia* Pau! - Hb. Boissier
336. *C. doon* substylo Selys Dehaen - Hb. Duckinger
337 *C. elegans* - 479 Lechler, Valdivia - Hb. Boissier
338. *C. jacquemontii* var *acutata* Chodat "Vauhelin" N. 252 = 216
339. *C. jacquemontii* var *acutata* Chodat " in Hb. Desvill
Brazil. Lame. 734 = 288
340 *C. brachystola* vis! Dalmatia Vis misit.
341 *C. chinensis* Nomibe' near Madagasca, Boiss H. V.
342 *C. florula* Sprngl herb (sensu Leenharts) with a
mark: Aut. leg



0 1 2 3 4 5 6 7 8 9 10
cm


copyright reserved



MISSOURI
BOTANICAL
GARDEN

5084B

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



0
cm

1 2 3 4 5 6 7 8 9 10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

Figures of *Cuscutaceæ*

Old Figures, made at St. Louis 1841-46

a. *Cuscuta europaea*, Frankfurt & Cars rule

b. C. " " Herb. At. Ph. St. B. refrans.

c. C. *epilinum* from Berlin

d. C. *epithymum* - Frankfurt

e. C. " " Dordogne

f. C. *rosen proem.* Afghanistan Griffith 686 ex

g. C. *strabiora* Boiss. Sinai Schleicher N. 140

h. C. " " St. Louis. P. C. 1418

i. *C. pedicellata* Ledeb. Altai. Ledeb.

j. *C. planiflora* Caucasus & Altai. Ledeb.

j. *C. brownii?* Afghanistan Griffith 686 - b & c. H.H. Texas Linnean.

k. *Dendroisma Texanum*

l. D. *lupuliforme* Silesia

m. D. " " var. *asiatica* Caucasus, on *Onites* H. Hook

n. D. *Vahlianum* Helonen of Caucasus, Hohenacker

o. D. " " Provence on *Vitis*

p. D. *Afghanum* Griffith. 683 in Herb Hook

q. D. *macrostachys* ex herb. Philadelph

r. D. " " Herb. Dr. R. sub nom. *reflexa* var. *varia*

s. D. " " Himalaya & Lady Dalhousie, ex herb Hook

t. *reflexa* T. & S. - H.C. Hook

—

t. *Graminea rostrata*. North Carolina Gray & Sillist

u. G. *gronovii* glomerata New Hampshire

v. G. *gronovii* *toxiflora* St. Louis

w. G. *gronovii* & var. *patens* St. Louis - pris.

x. G. *gronovii* var. *patens* St. Louis

y. G. *gronovii* var. *portensis* (G. C. Bonariensis) Cult.

z. G. *tenella* St. Louis



0
cm

1 2 3 4 5 6 7 8 9 10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

aa *Grammion obtusiflora* Penn. Humboldt
 bb. Jr. *glandulosa* w.s. Florid. Augr. in Herb. Shattock
 cc Jr. *chlorotarpa* St Louis
 dd Jr. *Americana* Siber, Martinique
 ee Jr. *Chilensis* Alpeniss. Hb. Gray
 ff. Jr. *variegata europaea* Cassel. Pfeiffer
 gg. Jr. *inflexa* St Louis Genf
 hh Jr. *Decora* Texas
 ii Jr. *avensis* pentagona Virginie Gray
 kk Jr. — *anisodonta* Missouri
 ll. Jr. — *vernuosa* Texas Lethu
 mm Jr. *acuminata* Calif. Nuttall — Hb. And. Phil
 nn Jr. *umbellata* from New Mex. & Seeds coll. St Louis
 oo Jr. *umbellata* Rocky Mts. de James in Herb. Torrey
 pp. Jr. *umbellata* Hb. Mex. & Queretaro, Humboldt
 qq. Jr. *cuspis* Texas Lethu
 rr. Jr. *compacta* St Louis
 ss. Jr. — Alabama — N. Carolina
 tt. Jr. *paradoxa* St Louis
 uu Jr. *ciliaris* Kotschy
 vv. Jr. *chilensis* s. silvatica Sud. Am. 1320.2 Willd
 xx Jr. — — — 1320.1
 yy. Jr. — — — Afghanistan Griffitt. 685 Hb. Hook
 zz. Jr. *oxyptala* (Borsig) — Herb. And. Philad.

aaa *C. ontina* Corte Siber
 bbb. *C. subrisinaria* Tyrol.
 ccc. *C. sibb* Tenerife Hb. And. Phil
 ddd. *C. amurensis*

MISSOURI BOTANICAL
GEORGE ENGELM



0
cm

1

2

3

4

5

6

7

8

9

10

copyright reserved



MISSOURI
BOTANICAL
GARDEN

Later Drawings

Berlin April & May 1857

1. *Dendroneura macroantha* Hymalaya Bruce Wedderburn. H. B.
2. *Gramine* Graciliflora Bogota Humboldt - H. B.
3. *Gramine* - Bogota, Goudot in H. Paris
4. Gr. Popayanensis Kunth! New Granada Humboldt (H. B.)
5. " " Camas Bischel in Herb Hook
6. Gr. *Chilensis* Ror. Chamerio - H. B. & 6. B.
7. Gr. zygosa! Lima, H. Ruiz - H. B.
7. b. " scales.
8. G. foetida Rott! Humboldt, Quito - H. B.
9. G. odonta! Peru ex H. Ruiz - H. B.
9. b. same - - -
10. G. conica? Peru H. Paris
11. Gr. obtusiflora! Peru Humboldt H. B.
12. Gr. microanthoides sp. Poepig No 159 - H. B. [C. Breyer]
13. Gr. *Chilensis* Poepig H. B. & H. Mart. [C. odonta]
14. Gr. " " Philippi, Chili H. B. Cummings 350
15. G. racemosa Chili Bartsch 940 & 201 H. Shaffer.
16. G. microanthoides Chili Besser H. B.
17. G. sunuloides = racemosa Germany Humboldt H. B. Mexico
18. G. partita Chois! Brasil Blandst 2047 - H. Shaffer
19. G. racemosa Mart! Brasil. Martins H. Mart.
20. G. " " - Gaudichaud H. B.
21. G. " " var miniaria Mart! Brasil. Martins - H. Mart
22. Gr. paniflora sp. Brasil H. Mart.
23. Gr. americana Brasil Gunder 1775 - H. Shaffer & H. Hook
- 24.
25. Gr. desertorum Mart Brasil - H. Mart.
26. Gr. Xanthochroa Mart Brasil - H. Mart.
27. Gr. floribunda Rott! Mexico Bstla Humboldt - H. B.
28. Gr. jalappensis Blblls. Mexico Chiapas - H. Paris & H. Just.
26. - - -

0
cm

1

2

3

4

5

6

7

8

9

10

copyright reserved

MISSOURI
BOTANICAL
GARDEN

29. Gr. stylosa Chois! Mex. do Andring 214
 Brasil 822 & Geleotth 1412 - H. Paris
 30 Gr. stylosa Mex. do in H. Benth.
 31 Gr. Leandriana Chois! glandulosa Benth. in H. Paris
 b. - - - - -
 32 Gr. decora Brasil Tweedie, H. Hook
 33 Gr. " " Gardner 5036 - H. Hook
 34 Gr. racemosa var. formosa Rio, Gardner -
 35 Gr. bracteata n.sp. - Goiag, Brasil, Gardner 3348.
 36 Gr. acutata n.sp. 661 A. M. Pen, H. Hook (49)
 37 Gr. botryoides n.sp. 59 Lobb S. Brazil H. H.
 38 Gr. trichostylis n.sp. Brasil Gardner H. H.
 39 Gr. " " 2625 Gardner, Brasil H. H.
 40 Gr. odora Pen A. M. 486 H. H.
 41 Gr. Panamensis ? Panama, Tweedie H. H.
 42 Gr. Brachystyla n.sp. 95 Antero (Chili) Reynolds H. H.
 43 Gr. foetida = (C. pyronantha Benth.) Hardwic 1298. H. H.
 44 Gr. ovata n.sp. Tweedie 1191. S. Jaya H. H.
 45 Gr. Jamaicensis ? Jamaica De Bovisoff H. H.
 46 Gr. glandulosa " Cuba Poeppig H. H. & H. V.
 47 Gr. " " - - - - - Bahama. H. H.
 48 Gr. Gronovii for Grunmold seeds H. H.
 49 Gr. decora Cuba H. V.
 50 Gr. partita Brasil Gardner 2684 H. V.
 Curacao, Hindriksthal 375. 6. H. V.
 51 Gr. paniflora n.sp. Brasil, Bhl. 5726 H. V.
 52 Gr. racemosa var. Brasil Bhl 5100 H. V.
 53 Gr. patens Benth. Calif. Cuming 1843 H. V.
 b. " " - - - - - Barley H. H.
 54 Gr. racemosa sub-nom. C. Popayanensis Kots. Poeppig H. V.
 55 Gr. inclusa ! Toluca, Benth. 1103 H. V.
 56 Gr. tristis n.sp. ... Pawłowski Mex. do 54
 57. Gr. Amundiana var. formosa (= spectabilis Chois). Brasil, Seligman
 H. Benth.
 58 Gr. " " var. clausa - Magill. Gregg.



0
cm

1

2

3

4

5

6

7

8

9

10

copyright reserved



MISSOURI
BOTANICAL
GARDEN